

Hypersequent-based Argumentation: An Instantiation in the Relevance Logic RM

AnneMarie Borg^{*1}, Ofer Arieli², and Christian Straßer^{†1}

¹Institute for Philosophy II, Ruhr-University Bochum, Germany

²School of Computer Science, The Academic College of Tel-Aviv, Israel

April 23, 2018

Abstract

In this paper we introduce *hypersequent-based* frameworks for the modeling of defeasible reasoning by means of logic-based argumentation. These frameworks are an extension of sequent-based argumentation frameworks, in which arguments are represented not only by sequents, but by more general expressions, called *hypersequents*. This generalization allows us to overcome some of the weaknesses of logical argumentation reported in the literature and to prove several desirable properties, stated in terms of rationality postulates. For this, we take the relevance logic RM as the deductive base of our formalism. This logic is regarded as “by far the best understood of the Anderson-Belnap style systems” (Dunn & Restall, Handbook of Philosophical Logic, Vol.6). It has a clear semantics in terms of Sugihara matrices, as well as sound and complete Hilbert- and Gentzen-type proof systems. The latter are defined by hypersequents and admit cut elimination. We show that hypersequent-based argumentation yields a robust defeasible variant of RM with many desirable properties (e.g., rationality postulates and crash-resistance).

1 Introduction

Argumentation theory has been described as “*a core study within artificial intelligence*” [11]. Among others, it is a standard method for modeling defeasible reasoning. Logical argumentation (sometimes called deductive or structural argumentation) is a branch of argumentation theory in which arguments have a specific structure. This includes rule-based argumentation, such as the ASPIC⁺ framework [26] and methods that are based on Tarskian logics, like Besnard and Hunter’s approach [12], in which classical logic is the deductive base (the so-called *core logic*).

The latter approach was generalized to *sequent-based argumentation* in [4], where Gentzen-style sequents [19], extensively used in proof theory, are incorporated for representing arguments, and attacks are formulated by special inference rules called *sequent elimination rules*. The result is a generic and modular approach to logical argumentation, in which any logic with a corresponding sound and complete sequent calculus can be used as the underlying core logic. A dynamic proof theory as a computational tool for sequent-based argumentation was introduced in [6]. This allows for reasoning with these argumentation frameworks in an automatic way.

In this paper we further extend sequent-based argumentation to *hypersequents* [7, 22, 24]. This is a powerful generalization of Gentzen’s sequents which was used for providing cut-free Gentzen-type systems for the relevance logic RM, its 3-valued version RM₃ and the modal logic S5. It allows

The final publication is available at Springer via http://dx.doi.org/10.1007/978-3-319-75553-3_2

^{*}The first two authors are supported by the Israel Science Foundation (grant 817/15).

[†]The first and the third author are supported by the Alexander von Humboldt Foundation and the German Ministry for Education and Research.

a high degree of parallelism in constructing proofs and has some applications in the proof theory of fuzzy logics (see, e.g., [21]). In the context of argumentation, the incorporation of hypersequents enables to split sequents into different components, and so different rationality postulates [1, 13] can be satisfied, some of which are not available otherwise.

The usefulness of logical argumentation with hypersequents is demonstrated here on frameworks whose core logic is RM. This logic was introduced by Dunn and McCall and later extensively studied by Dunn, Meyer [17] and Avron [7, 9] (see also [3, 18]). In [18, p.81], RM is regarded as “*by far the best understood of the Anderson-Belnap style systems*”. The basic idea behind this logic (and relevance logics in general) is that the set of premises should be ‘relevant’ to its conclusion. This way some problematic phenomena of classical logic, such as the paradoxes of material implication, are avoided. In addition, it was shown that RM is semi-relevant, paraconsistent, decidable and has the Scroggs’ property [3, §29.4]. Furthermore, RM has a clear semantics in terms of Sugihara matrices [3, §29.3] and sound and complete Hilbert- and Gentzen-type proof systems are available for it (see, e.g., [7, 9]). The latter admit cut elimination and are expressed in terms of hypersequents, a fact which makes RM particularly suitable for our purpose.

We will show that hypersequent-based frameworks, with RM as the core logic, satisfy the logic-based rationality postulates from [1] and non-interference and crash-resistance from [14]. In particular, this proves that such formalisms avoid the problem of logical argumentation raised in [15], and further discussed in [2] (to which we shall refer below). A byproduct of our approach is a defeasible variant of RM with many desirable properties.

The rest of the paper is organized as follows. The next two sections contain some preliminary material: in Sect. 2 we recall some basic notions of sequent-based argumentation, and in Sect. 3 we review the notion of hypersequents and the logic RM. Then, in Sect. 4 we extend sequent-based argumentation frameworks to hypersequent-based ones, and in Sect. 5 we consider some properties of these frameworks, instantiated in RM. Finally, in Sect. 6 we conclude.

2 Sequent-based Argumentation

We start by recalling the setting of sequent-based argumentation [4]. Throughout the paper we consider propositional languages, denoted by \mathcal{L} , that may contain connectives in $\{\neg, \wedge, \vee, \supset, \leftrightarrow\}$. Sets of formulae are denoted by \mathcal{S}, \mathcal{T} , finite sets of formulae are denoted by Γ, Δ , formulae are denoted by ϕ, ψ and atomic formulae are denoted by p, q , all of which can be primed or indexed. We denote by $\bigwedge \Gamma$ (respectively, by $\bigvee \Gamma$), the conjunction (respectively, the disjunction) of all the formulae in Γ . Furthermore, we let $\neg\mathcal{S} = \{\neg\phi \mid \phi \in \mathcal{S}\}$.

Definition 1. A *logic* for a language \mathcal{L} is a pair $L = \langle \mathcal{L}, \vdash \rangle$, where \vdash is a (Tarskian) consequence relation for \mathcal{L} , satisfying, for all sets $\mathcal{T}, \mathcal{T}'$ of \mathcal{L} -formulas and every \mathcal{L} -formula ϕ , the following properties:

- *reflexivity*: if $\phi \in \mathcal{T}$, then $\mathcal{T} \vdash \phi$;
- *transitivity*: if $\mathcal{T} \vdash \phi$ and $\mathcal{T}', \phi \vdash \psi$, then $\mathcal{T}, \mathcal{T}' \vdash \psi$;
- *monotonicity*: if $\mathcal{T}' \vdash \phi$ and $\mathcal{T}' \subseteq \mathcal{T}$, then $\mathcal{T} \vdash \phi$.

As usual in logical argumentation (see, e.g., [12, 23, 25, 27]), arguments have a specific structure based on the underlying formal language. In the current setting arguments are represented by the well-known proof theoretical notion of a *sequent*.

Definition 2. Let $L = \langle \mathcal{L}, \vdash \rangle$ be a logic and let \mathcal{S} be a set of formulae in \mathcal{L} .

- An \mathcal{L} -*sequent* (*sequent* for short) is an expression of the form $\Gamma \Rightarrow \Delta$, where Γ and Δ are finite sets of formulae in \mathcal{L} and \Rightarrow is a symbol that does not appear in \mathcal{L} .
- An L -*argument* (*argument* for short) is an \mathcal{L} -sequent $\Gamma \Rightarrow \psi$,¹ where $\Gamma \vdash \psi$. Γ is called the *support set* of the argument and ψ is its *conclusion*.

¹Set signs in arguments are omitted.

- An *L-argument based on \mathcal{S}* is an L-argument $\Gamma \Rightarrow \psi$, where $\Gamma \subseteq \mathcal{S}$. We denote by $\text{Arg}_L(\mathcal{S})$ the set of all the L-arguments based on \mathcal{S} .

The formal systems used for the constructions of sequents (and so of arguments) for a logic $L = \langle \mathcal{L}, \vdash \rangle$, are called *sequent calculi* [19]. In what follows we shall assume that a sequent calculus C is sound and complete for its logic (i.e., $\Gamma \Rightarrow \psi$ is provable in C iff $\Gamma \vdash \psi$). One of the advantages of sequent-based argumentation is that any logic with a corresponding sound and complete sequent calculus can be used as the core logic. Furthermore, unlike other logic-based approaches to argumentation (see, e.g., [2]), it is not required that the support set is minimal, nor that it is consistent.² The construction of arguments from simpler arguments is done by the *inference rules* of the sequent calculus [19].

Argumentation systems contain also attacks between arguments. In our case, attacks are represented by *sequent elimination rules*. Such a rule consists of an attacking argument (the first condition of the rule), an attacked argument (the last condition of the rule), conditions for the attack (the conditions in between) and a conclusion (the eliminated attacked sequent). The outcome of an application of such a rule is that the attacked sequent is ‘eliminated’. The elimination of a sequent $s = \Gamma \Rightarrow \Delta$ is denoted by \bar{s} or $\Gamma \not\Rightarrow \Delta$.

Definition 3. A *sequent elimination rule* (or *attack rule*) is a rule \mathcal{R} of the form:

$$\frac{\Gamma_1 \Rightarrow \Delta_1 \quad \dots \quad \Gamma_n \Rightarrow \Delta_n}{\Gamma_n \not\Rightarrow \Delta_n} \quad \mathcal{R} \quad (1)$$

Let $L = \langle \mathcal{L}, \vdash \rangle$ be a logic with corresponding sequent calculus C , $\Gamma \Rightarrow \psi, \Gamma' \Rightarrow \psi' \in \text{Arg}_L(\mathcal{S})$ and let \mathcal{R} be an elimination rule as above. If $\Gamma \Rightarrow \psi$ is an instance of $\Gamma_1 \Rightarrow \Delta_1$, $\Gamma' \Rightarrow \psi'$ is an instance of $\Gamma_n \Rightarrow \Delta_n$ and all the other conditions of \mathcal{R} (i.e., $\Gamma_i \Rightarrow \Delta_i$ for $i = 2, \dots, n-1$) are provable in C , then we say that $\Gamma \Rightarrow \psi$ *\mathcal{R} -attacks* $\Gamma' \Rightarrow \psi'$.

Example 1. We refer to [4, 29] for a definition of many sequent elimination rules. Below are three of them (assuming that $\Gamma_2 \neq \emptyset$):

$$\begin{array}{l} \text{Defeat:} \quad \frac{\Gamma_1 \Rightarrow \psi_1 \quad \Rightarrow \psi_1 \supset \neg \wedge \Gamma_2 \quad \Gamma_2 \Rightarrow \psi_2}{\Gamma_2 \not\Rightarrow \psi_2} \quad \text{Def} \\ \text{Undercut:} \quad \frac{\Gamma_1 \Rightarrow \psi_1 \quad \Rightarrow \psi_1 \leftrightarrow \neg \wedge \Gamma_2 \quad \Gamma_2, \Gamma'_2 \Rightarrow \psi_2}{\Gamma_2, \Gamma'_2 \not\Rightarrow \psi_2} \quad \text{Ucut} \\ \text{Consistency undercut} \quad \frac{\Rightarrow \neg \wedge \Gamma \quad \Gamma, \Gamma' \Rightarrow \psi}{\Gamma, \Gamma' \not\Rightarrow \psi} \quad \text{ConUcut} \end{array}$$

Note that the attacker and the attacked argument must be elements of $\text{Arg}_L(\mathcal{S})$.³ A sequent-based argumentation framework is now defined as follows:

Definition 4. A *sequent-based argumentation framework* for a set of formulae \mathcal{S} based on a logic $L = \langle \mathcal{L}, \vdash \rangle$ and a set AR of sequent elimination rules, is a pair $\mathcal{AF}_L(\mathcal{S}) = \langle \text{Arg}_L(\mathcal{S}), \mathcal{A} \rangle$, where $\mathcal{A} \subseteq \text{Arg}_L(\mathcal{S}) \times \text{Arg}_L(\mathcal{S})$ and $(a_1, a_2) \in \mathcal{A}$ iff there is an $\mathcal{R} \in \text{AR}$ such that a_1 \mathcal{R} -attacks a_2 .

Example 2. Suppose that $\{p, \neg p\} \subseteq \mathcal{S}$. When classical logic (CL) is the core logic, the sequents $p \Rightarrow p$ and $\neg p \Rightarrow \neg p$ attack each other according to defeat and undercut (see Ex. 1). The tautological sequent $\Rightarrow \psi \vee \neg \psi$ is not defeated or undercut by any argument in $\text{Arg}_{\text{CL}}(\mathcal{S})$, since it has an empty support set.

Given a (sequent-based) argumentation framework $\mathcal{AF}_L(\mathcal{S})$, Dung-style semantics [16] can be applied to it, to determine what combinations of arguments (called *extensions*) can collectively be accepted from it.

²See [4] for further advantages of this approach.

³By requiring that both the attacking and the attacked argument should be in $\text{Arg}_L(\mathcal{S})$ we prevent “irrelevant attacks”, that is: situations in which, e.g., $\neg p \Rightarrow \neg p$ attacks $p \Rightarrow p$ (by Undercut), although $\mathcal{S} = \{p\}$.

Definition 5. Let $\mathcal{AF}_L(\mathcal{S}) = \langle \text{Args}_L(\mathcal{S}), \mathcal{A} \rangle$ be an argumentation framework and let $S \subseteq \text{Args}_L(\mathcal{S})$ be a set of arguments. It is said that:

- S *attacks* an argument a if there is an $a' \in S$ such that $(a', a) \in \mathcal{A}$;
- S *defends* an argument a if S attacks every attacker of a ;
- S is *conflict-free* if there are no arguments $a_1, a_2 \in S$ such that $(a_1, a_2) \in \mathcal{A}$;
- S is *admissible* if it is conflict-free and it defends all of its elements.

An admissible set that contains all the arguments that it defends is a *complete extension* of $\mathcal{AF}_L(\mathcal{S})$. Below are definitions of some other extensions of $\mathcal{AF}_L(\mathcal{S})$:

- the *grounded extension* of $\mathcal{AF}_L(\mathcal{S})$ is the minimal (with respect to \subseteq) complete extension of $\text{Arg}_L(\mathcal{S})$; ⁴
- a *preferred extension* of $\mathcal{AF}_L(\mathcal{S})$ is a maximal (with respect to \subseteq) admissible subset of $\text{Arg}_L(\mathcal{S})$;
- a *stable extension* of $\mathcal{AF}_L(\mathcal{S})$ is an admissible subset of $\text{Arg}_L(\mathcal{S})$ that attacks every argument not in it.

In what follows we shall refer to either complete (cmp), grounded (gr), preferred (prf) or stable (stb) semantics as *completeness-based semantics*. We denote by $\text{Ext}_{\text{sem}}(\mathcal{AF}_L(\mathcal{S}))$ the set of all the extensions of $\mathcal{AF}_L(\mathcal{S})$ under the semantics $\text{sem} \in \{\text{cmp}, \text{gr}, \text{prf}, \text{stb}\}$. The subscript is omitted when this is clear from the context.

Example 3. Let $\mathcal{AF}_{\text{CL}}(\mathcal{S})$ be a sequent-based argumentation framework for $\mathcal{S} = \{p, \neg p, q\}$, based on CL, with Ucut as the sole attack rule. Then, as noted in Example. 2, the sequent $\Rightarrow p \vee \neg p$ belongs to every complete extension of $\mathcal{AF}_{\text{CL}}(\mathcal{S})$, since it cannot be undercut-attacked. Similarly, $q \Rightarrow q$ also belongs to every complete extension of $\mathcal{AF}_{\text{CL}}(\mathcal{S})$, since $\Rightarrow p \vee \neg p$ counter-attacks any attacker of $q \Rightarrow q$ that belongs to $\text{Arg}_{\text{CL}}(\mathcal{S})$.⁵ This implies that both $\Rightarrow p \vee \neg p$ and $q \Rightarrow q$ are in the grounded extension of $\mathcal{AF}_{\text{CL}}(\mathcal{S})$.

Definition 6. Given a sequent-based argumentation framework $\mathcal{AF}_L(\mathcal{S})$, the semantics as defined in Def. 5 induces corresponding (nonmonotonic) *entailment relations*: $\mathcal{S} \vdash_{\text{sem}}^{\cap} \phi$ ($\mathcal{S} \vdash_{\text{sem}}^{\cup} \phi$) iff for every (some) extension $\mathcal{E} \in \text{Ext}_{\text{sem}}(\mathcal{AF}_L(\mathcal{S}))$ there is an argument $\Gamma \Rightarrow \phi \in \mathcal{E}$ for some $\Gamma \subseteq \mathcal{S}$.

Example 4. Note that, since the grounded extension is unique, $\vdash_{\text{gr}}^{\cap}$ and $\vdash_{\text{gr}}^{\cup}$ coincide (so both can be denoted by \vdash_{gr}). For instance, in Example 3, $p, \neg p, q \vdash_{\text{gr}} q$, while $p, \neg p, q \not\vdash_{\text{gr}} p$ and $p, \neg p, q \not\vdash_{\text{gr}} \neg p$.

3 Hypersequents and RM

Ordinary sequent calculi do not capture all the interesting logics. For some logics, which have a clear and simple semantics, no standard cut-free sequent calculus is known. Notable examples are the Gödel–Dummett intermediate logic LC, the relevance logic RM and the modal logic S5. A large range of extensions of Gentzen’s original sequent calculi have been introduced for providing decent proof systems for different non-classical logics. Here we consider a natural extension of sequent calculi, called *hypersequent calculi*. Hypersequents were independently introduced by Mints [22], Pottinger [24] and Avron [7], nowadays Avron’s notation is mostly used (see, e.g., [8]). Intuitively, a hypersequent is a finite set (or sequence) of sequents, which is valid if and only if at least one of its component sequents is valid. This allows to define new inference (and elimination) rules for “multi-processing” different sequents. These types of rules increase the expressive power of hypersequents compared to ordinary sequent calculi, and as a result the corresponding argumentation systems have some desirable properties that are not available for ordinary sequent-based frameworks.

To illustrate the application of hypersequents in argumentation, we take RM as the core logic and use a hypersequent calculus for it, as well as extended versions of the attack rules for standard sequents. In this section we formally define what a hypersequent is and present a hypersequent calculus for RM.

⁴It is well-known (see [16]) that the grounded extension of a framework is unique.

⁵This follows since any attacker of $q \Rightarrow q$ has an inconsistent support.

3.1 Hypersequents and Inference Rules for Them

Definition 7. An \mathcal{L} -hypersequent is a finite multiset of sequents: $\Gamma_1 \Rightarrow \Delta_1 \mid \dots \mid \Gamma_n \Rightarrow \Delta_n$, where $\Gamma_i \Rightarrow \Delta_i$ ($1 \leq i \leq n$) are \mathcal{L} -sequents and \mid is a new symbol, not appearing in \mathcal{L} .⁶ Each $\Gamma_i \Rightarrow \Delta_i$ is called a *component* of the hypersequent.

Note that every ordinary sequent is a hypersequent as well. In what follows, hypersequents are denoted by \mathcal{G}, \mathcal{H} , primed or indexed if needed. Given a hypersequent $\mathcal{H} = \Gamma_1 \Rightarrow \Delta_1 \mid \dots \mid \Gamma_n \Rightarrow \Delta_n$, the *support* of \mathcal{H} is the set $\text{Supp}(\mathcal{H}) = \{\Gamma_1, \dots, \Gamma_n\}$ and the *consequent* of \mathcal{H} is the formula $\text{Conc}(\mathcal{H}) = \bigvee \Delta_1 \vee \dots \vee \bigvee \Delta_n$. Given a set Λ of hypersequents, we let $\text{Concs}(\Lambda) = \{\text{Conc}(\mathcal{H}) \mid \mathcal{H} \in \Lambda\}$.

Example 5. Like in Gentzen's sequent calculi, hypersequent axioms have the form $A \Rightarrow A$. Consider the right implication rule of Gentzen's calculus LK for classical logic (on the left below). The corresponding hypersequent rule is similar, now with added components (on the right below):

$$\frac{\Gamma, A \Rightarrow \Delta, B}{\Gamma \Rightarrow \Delta, A \supset B} \Rightarrow \supset \qquad \frac{\mathcal{G} \mid \Gamma, A \Rightarrow \Delta, B \mid \mathcal{H}}{\mathcal{G} \mid \Gamma \Rightarrow \Delta, A \supset B \mid \mathcal{H}} \Rightarrow \supset$$

As noted in [8], many sequent rules can be translated like this. However, it can be that there are two versions (an additive form and a multiplicative form), which are equivalent if contraction, exchange and weakening are all part of the system. Take for example the right conjunction rule of LK. The dual hypersequent rule in an additive form is:

$$\frac{\mathcal{G} \mid \Gamma \Rightarrow \Delta, A \mid \mathcal{H} \quad \mathcal{G} \mid \Gamma \Rightarrow \Delta, B \mid \mathcal{H}}{\mathcal{G} \mid \Gamma \Rightarrow \Delta, A \wedge B \mid \mathcal{H}} \Rightarrow \wedge$$

and the multiplicative form of the same rule is:

$$\frac{\mathcal{G}_1 \mid \Gamma_1 \Rightarrow \Delta_1, A \mid \mathcal{H}_1 \quad \mathcal{G}_2 \mid \Gamma_2 \Rightarrow \Delta_2, B \mid \mathcal{H}_2}{\mathcal{G}_1 \mid \mathcal{G}_2 \mid \Gamma_1, \Gamma_2 \Rightarrow \Delta_1, \Delta_2, A \wedge B \mid \mathcal{H}_1 \mid \mathcal{H}_2} \Rightarrow \wedge$$

3.2 The Logic RM and the hypersequent calculus GRM

As noted previously, we will demonstrate hypersequent-based argumentation by the core logic RM. This is the best understood and researched logic among the relevance logics from the Anderson-Belnap approach [3].⁷ Moreover, it is paraconsistent, decidable [9], has a simple semantics [3, §29] and is characterized by a Hilbert-style system [3, §27] (see also [9]). Like other relevance logics (such as R), RM does not satisfy the classical implication paradoxes $\phi \supset (\psi \supset \phi)$, $\neg\phi \supset (\phi \supset \psi)$, $(\phi \wedge \neg\phi) \supset \psi$ and $\phi \supset (\psi \supset \psi)$.⁸ This makes RM suitable for the modeling of defeasible reasoning and hence an appropriate core logic for argumentation-based reasoning.

An ordinary cut-free sequent calculus for RM is not known. Fig. 1 presents a hypersequent proof system for RM, called GRM.

In [7] it is shown that GRM admits cut-elimination and that it satisfies the following soundness and completeness result for RM:

Theorem 1. Let $\mathcal{H} = \Gamma_1 \Rightarrow \Delta_1 \mid \dots \mid \Gamma_n \Rightarrow \Delta_n$ be a hypersequent, where for each $1 \leq i \leq n$, $\Gamma_i = \{\gamma_1^i, \dots, \gamma_{m_i}^i\}$ and $\Delta_i = \{\delta_1^i, \dots, \delta_{l_i}^i\}$. We denote:

$$\begin{aligned} \tau(\mathcal{H}) = & (\neg\gamma_1^1 \vee \dots \vee \neg\gamma_{m_1}^1 \vee \delta_1^1 \vee \dots \vee \delta_{l_1}^1) \vee \\ & \dots \vee (\neg\gamma_1^n \vee \dots \vee \neg\gamma_{m_n}^n \vee \delta_1^n \vee \dots \vee \delta_{l_n}^n). \end{aligned} \tag{2}$$

Then \mathcal{H} is derivable in GRM if and only if $\tau(\mathcal{H})$ is a theorem RM, that is, the sequent $\Rightarrow \tau(\mathcal{H})$ is derivable in a (complete) sequent calculus for RM [7].

⁶The common, intuitive interpretation of the sign " \mid " is disjunction.

⁷Strictly speaking, RM is a *semi-relevance logic*: it does satisfy the basic relevance criterion (introduced in [3]) and the minimal semantic relevance criterion [9], but it does not have the variable sharing property (introduced in [3]), see, e.g., [9].

⁸Unlike R, RM does satisfy the *mingle axiom* $\phi \supset (\phi \supset \phi)$.

Axioms: $\mathcal{G} \mid \psi \Rightarrow \psi$	
Logical rules:	
$[\neg \Rightarrow] \frac{\mathcal{G} \mid \Gamma \Rightarrow \Delta, \varphi}{\mathcal{G} \mid \neg \varphi, \Gamma \Rightarrow \Delta}$	$[\Rightarrow \neg] \frac{\mathcal{G} \mid \varphi, \Gamma \Rightarrow \Delta}{\mathcal{G} \mid \Gamma \Rightarrow \Delta, \neg \varphi}$
$[\supset \Rightarrow] \frac{\mathcal{G} \mid \Gamma_1 \Rightarrow \Delta_1, \varphi \quad \mathcal{G} \mid \psi, \Gamma_2 \Rightarrow \Delta_2}{\mathcal{G} \mid \Gamma_1, \Gamma_2, \varphi \supset \psi \Rightarrow \Delta_1, \Delta_2}$	$[\Rightarrow \supset] \frac{\mathcal{G} \mid \Gamma, \varphi \Rightarrow \Delta, \psi}{\mathcal{G} \mid \Gamma \Rightarrow \Delta, \varphi \supset \psi}$
$[\wedge \Rightarrow] \frac{\mathcal{G} \mid \Gamma, \varphi \Rightarrow \Delta \quad \mathcal{G} \mid \Gamma, \psi \Rightarrow \Delta}{\mathcal{G} \mid \Gamma, \varphi \wedge \psi \Rightarrow \Delta}$	$[\Rightarrow \wedge] \frac{\mathcal{G} \mid \Gamma \Rightarrow \Delta, \varphi \quad \mathcal{G} \mid \Gamma \Rightarrow \Delta, \psi}{\mathcal{G} \mid \Gamma \Rightarrow \Delta, \varphi \wedge \psi}$
$[\vee \Rightarrow] \frac{\mathcal{G} \mid \Gamma, \varphi \Rightarrow \Delta \quad \mathcal{G} \mid \Gamma, \psi \Rightarrow \Delta}{\mathcal{G} \mid \Gamma, \varphi \vee \psi \Rightarrow \Delta}$	$[\Rightarrow \vee] \frac{\mathcal{G} \mid \Gamma \Rightarrow \Delta, \varphi \quad \mathcal{G} \mid \Gamma \Rightarrow \Delta, \psi}{\mathcal{G} \mid \Gamma \Rightarrow \Delta, \varphi \vee \psi}$
Structural rules:	
$[\text{EC}] \frac{\mathcal{G} \mid s \mid s}{\mathcal{G} \mid s}$	$[\text{EW}] \frac{\mathcal{G}}{\mathcal{G} \mid s}$
$[\text{Sp}] \frac{\mathcal{G} \mid \Gamma_1, \Gamma_2 \Rightarrow \Delta_1, \Delta_2}{\mathcal{G} \mid \Gamma_1 \Rightarrow \Delta_1 \mid \Gamma_2 \Rightarrow \Delta_2}$	$[\text{Mi}] \frac{\mathcal{G} \mid \Gamma_1 \Rightarrow \Delta_1 \quad \mathcal{G} \mid \Gamma_2 \Rightarrow \Delta_2}{\mathcal{G} \mid \Gamma_1, \Gamma_2 \Rightarrow \Delta_1, \Delta_2}$
$[\text{Cut}] \frac{\mathcal{G} \mid \Gamma_1 \Rightarrow \Delta_1, \varphi \quad \mathcal{G} \mid \varphi, \Gamma_2 \Rightarrow \Delta_2}{\mathcal{G} \mid \Gamma_1, \Gamma_2 \Rightarrow \Delta_1, \Delta_2}$	

Figure 1: The proof system GRM [7]

To define hypersequent-based argumentation frameworks, it is not enough to simply take the hypersequent inference rules to create arguments. A new definition of arguments is required and sequent elimination rules should be turned into hypersequent elimination rules. This is what we will do in the next section.

4 Hypersequent-based Argumentation

Given a logic $\mathbf{L} = \langle \mathcal{L}, \vdash \rangle$ with a sound and complete hypersequent calculus \mathbf{H} , from now on, an *argument* (or an \mathbf{L} -hyperargument) is an \mathcal{L} -hypersequent (i.e., whose components are \mathcal{L} -sequents) that is provable in \mathbf{H} .⁹ In the remainder of the paper, an argument based on a set \mathcal{S} (of formulae in \mathcal{L}), is an \mathbf{L} -hyperargument \mathcal{H} such that $\Gamma \subseteq \mathcal{S}$ for every $\Gamma \in \text{Supp}(\mathcal{H})$. We shall continue to denote by $\text{Arg}_{\mathbf{L}}(\mathcal{S})$ the set of arguments that are based on \mathcal{S} .

As before, arguments are constructed by the inference rules of the hypersequent calculus under consideration (see Sect. 3). For the elimination rules, we continue to use the same notation: $\overline{\mathcal{H}}$ denotes the elimination of the hypersequent \mathcal{H} . The structure of such rules remains the same as before as well: the first hypersequent in the conditions of the rule is the attacking argument, the last hypersequent in the conditions is the attacked argument and the rest of the conditions are to be satisfied for the attack to take place.

⁹Since a sequent is a particular case of a hypersequent and hypersequent calculi generalize sequent calculi, arguments in the sense of the previous sections are particular cases of the arguments according to the new definition.

Example 6. The elimination rules Def_H , Ucut_H and ConUcut_H are the hypersequent counterparts of the rules in Example 1. Let \mathcal{G}, \mathcal{H} be two arguments, where $\text{Supp}(\mathcal{H}) = \{\Delta_1, \dots, \Delta_m\}$. We also assume that $\Delta_j \neq \emptyset$ for Def_H , $\emptyset \neq \Delta'_j \subseteq \Delta_j$ for Ucut_H , and $\bigcup_{i=1}^m \Delta_i \neq \emptyset$ for ConUcut_H .

$$\frac{\mathcal{G} \Rightarrow \text{Conc}(\mathcal{G}) \supset \neg \wedge \Delta_j \quad \mathcal{H}}{\overline{\mathcal{H}}} \text{Def}_H$$

$$\frac{\mathcal{G} \Rightarrow \text{Conc}(\mathcal{G}) \leftrightarrow \neg \wedge \Delta'_j \quad \mathcal{H}}{\overline{\mathcal{H}}} \text{Ucut}_H$$

$$\frac{\Rightarrow \neg \wedge \bigcup_{i=1}^m \Delta_i \quad \mathcal{H}}{\overline{\mathcal{H}}} \text{ConUcut}_H$$

The notion of attack between hypersequents is the same as in Def. 3, except that sequents are replaced by hypersequents and the sequent calculus \mathbf{C} is replaced by a hypersequent calculus \mathbf{H} . Now, a hypersequent-based argumentation framework can be defined in a similar way as that of a sequent-based argumentation framework (cf. Def. 4).

Definition 8. A *hypersequent-based argumentation framework* for a set of formulae \mathcal{S} based on a logic $\mathbf{L} = \langle \mathcal{L}, \vdash \rangle$ and a set AR of hypersequent elimination rules, is a pair $\mathcal{AF}_{\mathbf{L}}(\mathcal{S}) = \langle \text{Arg}_{\mathbf{L}}(\mathcal{S}), \mathcal{A} \rangle$, where $\mathcal{A} \subseteq \text{Arg}_{\mathbf{L}}(\mathcal{S}) \times \text{Arg}_{\mathbf{L}}(\mathcal{S})$ and $(a_1, a_2) \in \mathcal{A}$ iff there is an $\mathcal{R} \in \text{AR}$ such that a_1 \mathcal{R} -attacks a_2 .

Given a hypersequent-based argumentation framework $\mathcal{AF}_{\mathbf{L}}(\mathcal{S})$, Dung-style semantics are defined in an equivalent way to those in Def. 5.

Example 7. Let $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ be a hypersequent-based argumentation framework for $\mathcal{S} = \{p, q, \neg p \vee \neg q\}$, based on RM , with Ucut_H as the sole attack rule. From the axioms $p \Rightarrow p$ and $q \Rightarrow q$, by the Mingle Rule [Mi] (see Fig. 1) the sequent $p, q \Rightarrow p, q$ can be derived in GRM and by the Splitting Rule [Sp] the hypersequent $p \Rightarrow q \mid q \Rightarrow p$ is derivable in GRM as well. The hypersequent $p, q \Rightarrow p, q$ is Ucut_H -attacked by the axiom $\neg p \vee \neg q \Rightarrow \neg p \vee \neg q$, but the hypersequent $p \Rightarrow q \mid q \Rightarrow p$ is not Ucut_H -attacked by this axiom. However, both hypersequents are Ucut_H -attacked by the hypersequents $p, \neg p \vee \neg q \Rightarrow \neg q$ and $q, \neg p \vee \neg q \Rightarrow \neg p$.

Definition 9. Given a hypersequent-based argumentation framework $\mathcal{AF}_{\mathbf{L}}(\mathcal{S})$, the following *entailment relations* can be defined as in Definition 6: $\mathcal{S} \vdash_{H, \text{sem}}^{\cap} \phi$ ($\mathcal{S} \vdash_{H, \text{sem}}^{\cup} \phi$) iff for every (some) extension $\mathcal{E} \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\mathbf{L}}(\mathcal{S}))$ there is an argument $\mathcal{H} \in \mathcal{E}$ such that $\text{Conc}(\mathcal{H}) = \phi$ and $\bigcup \text{Supp}(\mathcal{H}) \subseteq \mathcal{S}$. The subscript H is omitted when this is clear from the context.

5 Discussion of Some Properties

In this section we consider some useful properties of hypersequent-based argumentation. We begin by showing that in some cases this kind of argumentation overcomes a shortcoming of some other frameworks (including sequent-based ones) that under some completeness-based semantics (Def. 5) extensions may not always be consistent [2, 15].

Example 8 (Based on Example 2 in [2]). Let $\mathcal{AF}_{\text{CL}}(\mathcal{S}) = \langle \text{Arg}_{\text{CL}}(\mathcal{S}), \mathcal{A} \rangle$, where $\mathcal{S} = \{p, q, \neg p \vee \neg q, t\}$ and the attack rules are Def and/or Ucut . The following sequents are in $\text{Arg}_{\text{CL}}(\mathcal{S})$:

$$\begin{array}{llll} a_1 = t \Rightarrow t & a_2 = p \Rightarrow p & a_3 = q \Rightarrow q & a_4 = \neg p \vee \neg q \Rightarrow \neg p \vee \neg q \\ a_5 = p \Rightarrow \neg((\neg p \vee \neg q) \wedge q) & & a_6 = q \Rightarrow \neg((\neg p \vee \neg q) \wedge p) & \\ a_7 = p, q \Rightarrow p \wedge q & a_8 = \neg p \vee \neg q, q \Rightarrow \neg p & & a_9 = \neg p \vee \neg q, p \Rightarrow \neg q \end{array}$$

It can be shown that $\mathcal{E} = \{a_1, a_2, a_3, a_4, a_5, a_6\}$ is admissible in $\mathcal{AF}_{\text{CL}}(\mathcal{S})$, for either of the attack rules Def or Ucut . However, $\text{Concs}(\mathcal{E})$ is inconsistent.

Definition 10. Let $L = \langle \mathcal{L}, \vdash \rangle$ be a logic and let \mathcal{T} be a set of \mathcal{L} -formulae, where \mathcal{L} contains the connectives \neg and \wedge .

- The *closure* of \mathcal{T} is denoted by $\text{CN}_L(\mathcal{T})$ (thus, $\text{CN}_L(\mathcal{T}) = \{\phi \mid \mathcal{T} \vdash \phi\}$).
- \mathcal{T} is *consistent* (for \vdash), if there are no formulae $\phi_1, \dots, \phi_n \in \mathcal{T}$ such that $\vdash \neg \bigwedge_{i=1}^n \phi_i$.¹²
- A subset \mathcal{C} of \mathcal{T} is a *minimal conflict* of \mathcal{T} (w.r.t. \vdash), if \mathcal{C} is inconsistent and for any $c \in \mathcal{C}$, the set $\mathcal{C} \setminus \{c\}$ is consistent. We denote by $\text{Free}(\mathcal{T})$ the set of formulae in \mathcal{T} that are not part of any minimal conflict of \mathcal{T} .

Let $\mathcal{AF}_L(\mathcal{S}) = \langle \text{Arg}_L(\mathcal{S}), \mathcal{A} \rangle$ be a hypersequent-based argumentation framework and let $\mathcal{H}, \mathcal{H}' \in \text{Arg}_L(\mathcal{S})$ such that $\mathcal{H} = \Gamma_1 \Rightarrow \phi_1 \mid \dots \mid \Gamma_n \Rightarrow \phi_n$ and $\mathcal{H}' = \Gamma'_1 \Rightarrow \phi'_1 \mid \dots \mid \Gamma'_m \Rightarrow \phi'_m$. Then \mathcal{H}' is a *sub-argument* of \mathcal{H} if for each $i \in \{1, \dots, m\}$ there is a $j \in \{1, \dots, n\}$ such that $\Gamma'_i \subseteq \Gamma_j$. The set of sub-arguments of \mathcal{H} is denoted by $\text{Sub}(\mathcal{H})$.

Definition 11. Let $\mathcal{AF}_L(\mathcal{S}) = \langle \text{Arg}_L(\mathcal{S}), \mathcal{A} \rangle$ be an argumentation framework for the logic $L = \langle \mathcal{L}, \vdash \rangle$, the set \mathcal{S} of \mathcal{L} -formulae and a fixed (set of) semantics sem . We say that $\mathcal{AF}_L(\mathcal{S})$ has the properties below (for sem), if they are satisfied for every $\mathcal{E} \in \text{Ext}_{\text{sem}}(\mathcal{AF}_L(\mathcal{S}))$.

- *closure of extensions*: $\text{Concs}(\mathcal{E}) = \text{CN}_L(\text{Concs}(\mathcal{E}))$.
- *closure under sub-arguments*: if $\mathcal{H} \in \mathcal{E}$ then $\text{Sub}(\mathcal{H}) \subseteq \mathcal{E}$.
- *consistency*: $\text{Concs}(\mathcal{E})$ is consistent.
- *exhaustiveness*: For every $\mathcal{H} \in \text{Arg}_L(\mathcal{S})$ such that $\bigcup \text{Supp}(\mathcal{H}) \cup \{\text{Conc}(\mathcal{H})\} \subseteq \text{Concs}(\mathcal{E})$, $\mathcal{H} \in \mathcal{E}$.
- *free precedence*: $\text{Arg}_L(\text{Free}(\mathcal{S})) \subseteq \mathcal{E}$.

Note 1. For proving the above postulates, we shall use (sometimes implicitly) the following admissible rules of GRM:

- *Transitivity*: if $\mathcal{G}_1 \mid \Gamma \Rightarrow \phi_1 \mid \mathcal{H}_1$ and $\mathcal{G}_2 \mid \phi_1 \Rightarrow \phi_2 \mid \mathcal{H}_2$ are derivable, then $\mathcal{G}_1 \mid \mathcal{G}_2 \mid \Gamma \Rightarrow \phi_2 \mid \mathcal{H}_1 \mid \mathcal{H}_2$ is derivable.
- From $\mathcal{G} \mid \Gamma \Rightarrow \phi \supset \psi, \Delta \mid \mathcal{H}$ derive $\mathcal{G} \mid \Gamma, \phi \Rightarrow \psi, \Delta \mid \mathcal{H}$.
- From $\mathcal{G} \mid \Delta \Rightarrow \phi \mid \mathcal{H}$ derive $\mathcal{G} \mid \Rightarrow \neg \phi \supset \neg \bigwedge \Delta \mid \mathcal{H}$.
- For any $\Gamma' \subseteq \Gamma$, if $\mathcal{G} \mid \Rightarrow \phi \supset \neg \bigwedge \Gamma' \mid \mathcal{H}$ is derivable then $\mathcal{G} \mid \Rightarrow \phi \supset \neg \bigwedge \Gamma \mid \mathcal{H}$ is derivable.
- $\Gamma_1 \Rightarrow \phi_1 \mid \dots \mid \Gamma_n \Rightarrow \phi_n$ is derivable iff $\Gamma_1, \dots, \Gamma_n \Rightarrow \phi_1, \dots, \phi_n$ is derivable.
- $\phi_1 \vee \dots \vee \phi_n \Rightarrow \phi_1 \mid \dots \mid \phi_1 \vee \dots \vee \phi_n \Rightarrow \phi_n$ is derivable.

Theorem 2. Any argumentation framework $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ with the attack relation Def_H or Ucut_H , and under any completeness-based semantics, satisfies closure of extensions, closure under sub-arguments, consistency and exhaustiveness. Moreover, when ConUcut_H is part of the attack rules, it also satisfies free precedence.

Proof. Let $\mathcal{AF}_{\text{RM}}(\mathcal{S}) = \langle \text{Arg}_{\text{RM}}(\mathcal{S}), \mathcal{A} \rangle$ be an argumentation framework, with the attack rules Def_H and/or Ucut_H and let \mathcal{E} be a complete extension of $\mathcal{AF}_{\text{RM}}(\mathcal{S})$.

Sub-argument closure: For both Def_H and Ucut_H it can be shown that any attacker of $\mathcal{H}' \in \text{Sub}(\mathcal{H})$ is also an attacker of \mathcal{H} . If $\mathcal{H} \in \mathcal{E}$, for any completeness-based extension \mathcal{E} there is a $\mathcal{G} \in \mathcal{E}$ that defends \mathcal{H} against this attack. Thus \mathcal{E} defends \mathcal{H}' as well. Therefore, $\mathcal{H}' \in \mathcal{E}$.

Closure of extensions: Showing that $\text{Concs}(\mathcal{E}) \subseteq \text{CN}_{\text{RM}}(\text{Concs}(\mathcal{E}))$ is trivial. For the other direction, assume that $\phi \in \text{CN}_{\text{RM}}(\text{Concs}(\mathcal{E}))$. Then there are arguments $\mathcal{H}_1, \dots, \mathcal{H}_n \in \mathcal{E}$ such that $\mathcal{H}_i = \Gamma_1^i \Rightarrow \psi_1^i \mid \dots \mid \Gamma_{m_i}^i \Rightarrow \psi_{m_i}^i$, with $\phi_i = \psi_1^i \vee \dots \vee \psi_{m_i}^i$ and $\phi_1, \dots, \phi_n \vdash_{\text{RM}} \phi$.

It can be shown that the argument $\mathcal{H}' = \bigwedge_{k=1}^n \bigwedge_{j=1}^{m_k} \bigwedge \Gamma_j^k \Rightarrow \phi_1 \wedge \dots \wedge \phi_n$ is derivable in GRM. By transitivity and splitting we get that $\mathcal{H} = \Gamma_1^1 \Rightarrow \phi \mid \dots \mid \Gamma_{m_1}^1 \Rightarrow \phi \mid \dots \mid \Gamma_1^n \Rightarrow \phi \mid \dots \mid \Gamma_{m_n}^n \Rightarrow \phi$

¹²Note that if \mathcal{T} is consistent, then so are $\text{CN}_L(\mathcal{T})$ and \mathcal{T}' for every $\mathcal{T}' \subseteq \mathcal{T}$. If \mathcal{T} is inconsistent, then so is every superset of \mathcal{T} .

is provable in GRM. For both attack rules Def_H and Ucut_H , any attacker of \mathcal{H} is an attacker of one of the arguments $\mathcal{H}_1, \dots, \mathcal{H}_n$. Hence $\mathcal{H} \in \mathcal{E}$, and so $\phi \in \text{Concs}(\mathcal{E})$.

Consistency: Assume, towards a contradiction, that $\text{Concs}(\mathcal{E})$ is not consistent. Then there are $\phi_1, \dots, \phi_n \in \text{Concs}(\mathcal{E})$ such that $\Rightarrow \neg \bigwedge_{j=1}^n \phi_j$ is derivable in GRM. Let $\psi = \phi_1 \wedge \dots \wedge \phi_n$. Furthermore, like the proof of closure, there are arguments $\mathcal{H}_1, \dots, \mathcal{H}_n \in \mathcal{E}$, such that $\mathcal{H}_i = \Gamma_1^i \Rightarrow \psi_1^i \mid \dots \mid \Gamma_{m_i}^i \Rightarrow \psi_{m_i}^i$ and $\phi_i = \psi_1^i \vee \dots \vee \psi_{m_i}^i$. From these, arguments $\mathcal{H}'_i = \Gamma_1^i, \dots, \Gamma_{m_i}^i \Rightarrow \phi_i$, for each $i \in \{1, \dots, n\}$, can be derived. By applying $(\Rightarrow \wedge)$ to the \mathcal{H}'_i 's, we derive $\Gamma_1^1, \dots, \Gamma_{m_1}^1, \dots, \Gamma_1^n, \dots, \Gamma_{m_n}^n \Rightarrow \psi$.

Then, for each $j \in \{1, \dots, n\}$ and $k \in \{1, \dots, m_j\}$, $\neg \psi, \Gamma_1^1, \dots, \Gamma_{m_1}^1, \dots, \Gamma_1^n, \dots, \Gamma_{m_n}^n \Rightarrow \neg \bigwedge \Gamma_k^j$ is derivable, where Γ_k^j is taken out of $\Gamma_1^1, \dots, \Gamma_{m_1}^1, \dots, \Gamma_1^n, \dots, \Gamma_{m_n}^n$. By transitivity from $\Rightarrow \neg \psi$ and splitting, $\mathcal{G} = \Gamma_1^1 \Rightarrow \neg \bigwedge \Gamma_k^j \mid \dots \mid \Gamma_{m_1}^1 \Rightarrow \neg \bigwedge \Gamma_k^j \mid \dots \mid \Gamma_1^n \Rightarrow \neg \bigwedge \Gamma_k^j \mid \dots \mid \Gamma_{m_n}^n \Rightarrow \neg \bigwedge \Gamma_k^j$ is derivable. Note that, for both attack rules Def_H and Ucut_H , any attacker of \mathcal{G} is an attacker of one of the arguments $\mathcal{H}_1, \dots, \mathcal{H}_n$, therefore $\mathcal{G} \in \mathcal{E}$. However, \mathcal{G} attacks (defeats/undercuts) \mathcal{H}_j , a contradiction to the assumption that \mathcal{E} is conflict-free. Thus $\text{Concs}(\mathcal{E})$ is consistent.

Exhaustiveness: Let $\mathcal{H} \in \text{Arg}_{\text{RM}}(\mathcal{S})$ be an argument such that $\bigcup \text{Supp}(\mathcal{H}) \cup \{\text{Conc}(\mathcal{H})\} \subseteq \text{Concs}(\mathcal{E})$. It easily follows that $\mathcal{E} \cup \{\mathcal{H}\}$ is conflict-free. Assume that some $\mathcal{G} = \Delta_1 \Rightarrow \psi_1 \mid \dots \mid \Delta_n \Rightarrow \psi_n \in \text{Arg}_{\text{RM}}(\mathcal{S})$ defeats \mathcal{H} (the case for undercut is similar and left to the reader). Then $\Rightarrow \text{Conc}(\mathcal{G}) \supset \neg \bigwedge \Gamma$ is derivable in GRM, for some $\Gamma \in \text{Supp}(\mathcal{H})$. Let $\Gamma = \{\gamma_1, \dots, \gamma_m\}$. Then there are $\mathcal{H}_1, \dots, \mathcal{H}_m \in \mathcal{E}$ such that $\text{Conc}(\mathcal{H}_j) = \gamma_j$ and $\bigcup \text{Supp}(\mathcal{H}_j) = \{\delta_1^j, \dots, \delta_{k_j}^j\}$ ($1 \leq j \leq m$). By Theorem 1, $\delta_1^j, \dots, \delta_{k_j}^j \vdash_{\text{RM}} \gamma_j$, thus $\delta_1^1, \dots, \delta_{k_1}^1, \dots, \delta_1^m, \dots, \delta_{k_m}^m \vdash_{\text{RM}} \gamma_1 \wedge \dots \wedge \gamma_m$, and so $\neg \bigwedge \Gamma, \delta_1^1, \dots, \delta_{k_1}^1, \dots, \delta_1^m, \dots, \delta_{k_m}^m \vdash_{\text{RM}} \neg \delta_{k_m}^m$.

Now, by transitivity from $\text{Conc}(\mathcal{G}) \Rightarrow \neg \bigwedge \Gamma$, Theorem 1, and splitting, we have that $\mathcal{G}' = \Delta_1 \Rightarrow \neg \delta_{k_m}^m \mid \dots \mid \Delta_m \Rightarrow \neg \delta_{k_m}^m \mid \delta_1^1 \Rightarrow \neg \delta_{k_m}^m \mid \dots \mid \delta_{k_{m-1}}^m \Rightarrow \neg \delta_{k_m}^m \in \text{Arg}_{\text{RM}}(\mathcal{S})$. But then \mathcal{G}' defeats $\mathcal{H}_m \in \mathcal{E}$, thus there is some $\mathcal{H}^* \in \mathcal{E}$ which defeats \mathcal{G}' . This attack has to be on some Δ_i , $i \in \{1, \dots, n\}$, otherwise \mathcal{E} would not be conflict-free. Hence \mathcal{H}^* defeats \mathcal{G} as well.

Since, by assumption, \mathcal{E} is complete, $\mathcal{E} \cup \{\mathcal{H}\}$ is conflict-free and \mathcal{E} defends \mathcal{H} , it follows that $\mathcal{H} \in \mathcal{E}$.

Free precedence: Suppose that ConUcut_H is among the attack rules in $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ as well. It can be shown that Def_H , Ucut_H and ConUcut_H are *conflict-dependent* in the sense of [1], that is: if $\mathcal{G}, \mathcal{H} \in \text{Arg}_{\text{RM}}(\mathcal{S})$ such that \mathcal{G} attacks \mathcal{H} , then $\bigcup \text{Supp}(\mathcal{G}) \cup \bigcup \text{Supp}(\mathcal{H})$ is inconsistent.

Assume that some $\mathcal{G} \in \text{Arg}_{\text{RM}}(\mathcal{S})$ attacks an argument $\mathcal{H} \in \text{Arg}_{\text{RM}}(\text{Free}(\mathcal{S}))$. Since each of the considered attack rules is conflict-dependent, $\bigcup \text{Supp}(\mathcal{H}) \cup \bigcup \text{Supp}(\mathcal{G})$ is inconsistent. However, $\bigcup \text{Supp}(\mathcal{H}) \subseteq \text{Free}(\mathcal{S})$, thus \mathcal{G} has an inconsistent support set. Then there is an argument $\Rightarrow \neg \bigwedge \text{Supp}(\mathcal{G}) \in \mathcal{E}$ that attacks \mathcal{G} via the ConUcut_H rule. Since any attacker of \mathcal{H} is counter-attacked by \mathcal{E} , it follows that \mathcal{E} defends \mathcal{H} , and since \mathcal{E} is complete, $\mathcal{H} \in \mathcal{E}$.

We have shown that $\mathcal{AF}_{\text{RM}}(\mathcal{S})$, for the given attack rules, satisfies the five postulates under complete semantics. From this it follows (see, e.g., [1, Prop. 26]) that $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ satisfies the five postulates also under grounded, preferred and stables semantics. \square \square

Consider the following weakening of the definition of sub-arguments:

Definition 12. We say that \mathcal{H}' is a *weak sub-argument* of \mathcal{H} , if $\bigcup \text{Supp}(\mathcal{H}') \subseteq \bigcup \text{Supp}(\mathcal{H})$. We denote by $\text{WSub}(\mathcal{H})$ the set of all weak sub-arguments of \mathcal{H} .

Clearly, any sub-argument of \mathcal{H} is in particular a weak sub-argument of \mathcal{H} . Interestingly, as the next proposition shows, closure of extensions and exhaustiveness imply closure under weak sub-arguments (and so closure under sub-argument).

Proposition 1. *Any argumentation framework $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ that satisfies closure of extensions and exhaustiveness also satisfies closure under weak sub-arguments.*

Proof. Let $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ be a hypersequent-based argumentation framework for the core logic RM and set of formulas \mathcal{S} that satisfies closure of extensions and exhaustiveness. Suppose that $\mathcal{H} \in \mathcal{E}$ for

some $\mathcal{E} \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}))$, and let $\mathcal{H}' \in \text{WSub}(\mathcal{H})$. Then $\bigcup \text{Supp}(\mathcal{H}') \subseteq \bigcup \text{Supp}(\mathcal{H})$. Note that for each $\phi \in \bigcup \text{Supp}(\mathcal{H})$, $\phi \Rightarrow \phi \in \mathcal{E}$ (since every attacker of $\phi \Rightarrow \phi$ is also an attacker of \mathcal{H} and \mathcal{E} is complete). Thus (†) $\bigcup \text{Supp}(\mathcal{H}') \subseteq \text{Concs}(\mathcal{E})$. Furthermore, since $\text{Supp}(\mathcal{H}') \vdash_{\text{RM}} \text{Conc}(\mathcal{H}')$, by the monotonicity of \vdash also $\text{Supp}(\mathcal{H}) \vdash_{\text{RM}} \text{Conc}(\mathcal{H}')$ and by closure (‡) $\text{Conc}(\mathcal{H}') \in \text{Concs}(\mathcal{E})$. Thus $\mathcal{H}' \in \mathcal{E}$ by exhaustiveness in view of (†) and (‡). \square \square

Note 2. Consider a hypersequent variant LK_H of the sequent calculus LK for classical propositional logic. This calculus would allow for internal weakening in addition to all the rules of GRM . Then all of the above proofs for the postulates hold also for classical logic with the calculus LK_H .

5.2 Crash-resistance and Non-Interference

Two additional postulates were introduced in [14] concerning crash-resistance, the problem that a system collapses when it is based on inconsistent information. For defining these postulates, some definitions and notations are necessary.

Let $\mathcal{AF}_{\mathcal{L}}(\mathcal{S}) = \langle \text{Arg}_{\mathcal{L}}(\mathcal{S}), \mathcal{A} \rangle$ be an argumentation framework for the logic $\mathcal{L} = \langle \mathcal{L}, \vdash \rangle$ and a set \mathcal{S} of \mathcal{L} -formulae.

- We denote by $\text{Atoms}(\mathcal{S})$ the set of atoms that occur in the formulae in \mathcal{S} and by $\text{Atoms}(\mathcal{L})$ the set of all the atoms of the language.
- Sets \mathcal{S}, \mathcal{T} of formulae are *syntactically disjoint*, if $\text{Atoms}(\mathcal{S}) \cap \text{Atoms}(\mathcal{T}) = \emptyset$.

Definition 13. Let \sim be an entailment relation for \mathcal{L} . A set \mathcal{S}' of \mathcal{L} -formulae is called *contaminating* (with respect to \sim), if for any set $\mathcal{S}^* \subseteq \mathcal{L}$ such that \mathcal{S}' and \mathcal{S}^* are syntactically disjoint, and for every \mathcal{L} -formula ϕ , it holds that $\mathcal{S}' \sim \phi$ if and only if $\mathcal{S}' \cup \mathcal{S}^* \sim \phi$.

Definition 14. Let \mathcal{L} be a propositional language and \sim an entailment relation for \mathcal{L} . Then \sim satisfies

- *non-interference*: if and only if for every syntactically disjoint sets $\mathcal{S}_1, \mathcal{S}_2$ of \mathcal{L} -formulae and any \mathcal{L} -formula ϕ such that $\text{Atoms}(\phi) \subseteq \text{Atoms}(\mathcal{S}_1)$, $\mathcal{S}_1 \sim \phi$ if and only if $\mathcal{S}_1 \cup \mathcal{S}_2 \sim \phi$;
- *crash-resistance*: if and only if there is no set \mathcal{S} of \mathcal{L} -formulae that is contaminating w.r.t. \sim .

For proving the above postulates, we need the next lemma. Its proof is partially based on [5, Lemma 1] and [16, Lemma 15], but omitted due to space restrictions.

Lemma 1. Let $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ be a hypersequent-based argumentation framework for \mathcal{S} (Def. 8) whose core logic is RM . The following are equivalent:

- $\mathcal{E} \in \text{Ext}_{\text{prf}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}))$;
- $\mathcal{E} \in \text{Ext}_{\text{stb}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}))$;
- $\mathcal{E} = \text{Arg}_{\text{RM}}(\mathcal{S}')$, where \mathcal{S}' is a \subseteq -maximally consistent subset of \mathcal{S} .

Theorem 3. Let $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ be a hypersequent-based argumentation framework for the logic RM , the attack rules Def_H and/or Ucut_H , and a set of formulae \mathcal{S} . Let also $\pi \in \{\cap, \cup\}$, and \mathcal{S} a completeness-based semantics. Then the induced entailment $\sim_{H, \text{sem}}^\pi$ (Def. 9) satisfies non-interference.

Proof outline. The structure of the proof is roughly based on the proofs in [30]. In what follows we abbreviate $\sim_{H, \text{sem}}^\pi$ by \sim^π .

Let $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ be some hypersequent-based argumentation framework for the logic RM , with the attack rules Def_H and/or Ucut_H and a set of formulae \mathcal{S} . Consider two syntactically disjoint sets $\mathcal{S}_1, \mathcal{S}_2 \subseteq \mathcal{S}$ and let $\mathcal{S}' = \mathcal{S}_1 \cup \mathcal{S}_2$. For any $\mathcal{S} \subseteq \text{Arg}_{\text{RM}}(\mathcal{S})$, let $\mathcal{D}_{\mathcal{AF}_{\text{RM}}(\mathcal{S})}(\mathcal{S}) = \{\mathcal{H} \in \text{Arg}_{\text{RM}}(\mathcal{S}) \mid \mathcal{S} \text{ defends } \mathcal{H}\}$. Then, by Lemma 1 and the fact that RM satisfies the basic relevance criterion [9], the following points can be shown for complete, preferred and stable semantics (proofs are omitted due to space restrictions):

1. if $\mathcal{E} \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}'))$, then $\mathcal{E} \cap \text{Arg}_{\text{RM}}(\mathcal{S}_1) \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}_1))$;
2. if $\mathcal{E}_1 \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}_1))$ and $\mathcal{E}_2 \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}_2))$, then $\mathcal{D}_{\mathcal{AF}_{\text{RM}}(\mathcal{S}')}(\mathcal{E}_1 \cup \mathcal{E}_2) \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}'))$.

Let ϕ be a formula with $\text{Atoms}(\phi) \subseteq \text{Atoms}(\mathcal{S}_1)$. We show that $\mathcal{S}_1 \vdash^\cap \phi$ if and only if $\mathcal{S}' \vdash^\cap \phi$ (the proof for \vdash^\cup is left to the reader).

\Rightarrow Assume that $\mathcal{S}_1 \vdash^\cap \phi$ but $\mathcal{S}' \not\vdash^\cap \phi$. Thus, there is some $\mathcal{E} \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}'))$, such that there is no argument $\mathcal{H} \in \mathcal{E}$ with $\text{Conc}(\mathcal{H}) = \phi$. By Item 1 above $\mathcal{E} \cap \text{Arg}_{\text{RM}}(\mathcal{S}_1) \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}_1))$, a contradiction to $\mathcal{S}_1 \vdash^\cap \phi$.

\Leftarrow Assume that $\mathcal{S}' \vdash^\cap \phi$ but $\mathcal{S}_1 \not\vdash^\cap \phi$. Thus, there is some $\mathcal{E} \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}_1))$ such that there is no argument $\mathcal{H} \in \mathcal{E}$ with $\text{Conc}(\mathcal{H}) = \phi$. By the basic relevance criterion [3], if $\mathcal{E}' \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}_2))$ (in [16] it is shown that there is at least one such extension), there is no argument $\mathcal{H} \in \mathcal{E}'$ with $\text{Conc}(\mathcal{H}) = \phi$ either. Thus, by Item 2 above, $\mathcal{D}_{\mathcal{AF}_{\text{RM}}(\mathcal{S}')}(\mathcal{E} \cup \mathcal{E}') \in \text{Ext}_{\text{sem}}(\mathcal{AF}_{\text{RM}}(\mathcal{S}'))$. By definition of $\mathcal{D}_{\mathcal{AF}_{\text{RM}}(\mathcal{S}')}$, there is no argument $\mathcal{H} \in \mathcal{D}_{\mathcal{AF}_{\text{RM}}(\mathcal{S}')}(\mathcal{E} \cup \mathcal{E}')$ with $\text{Conc}(\mathcal{H}) = \phi$, a contradiction to $\mathcal{S}' \vdash^\cap \phi$.

It follows that $\vdash_{H,\text{sem}}^\cup$ and $\vdash_{H,\text{sem}}^\cap$, for $\text{sem} \in \{\text{gr}, \text{cmp}, \text{prf}, \text{stb}\}$, satisfy non-interference. \square \square

Theorem 4. *Let $\mathcal{AF}_{\text{RM}}(\mathcal{S})$ be a hypersequent-based argumentation framework for the logic RM, the attack rules Def_H and/or Ucut_H , and a set of formulae \mathcal{S} . Let also $\pi \in \{\cap, \cup\}$, and sem a completeness-based semantics. Then $\vdash_{H,\text{sem}}^\pi$ satisfies crash-resistance.*

For the proof, we recall the following notion from [14]:

- Let AT be a set of atoms. We denote by $\mathcal{S}_{|\text{AT}}$ the set of formulae in \mathcal{S} that contain only atoms from AT. For a set \mathcal{F} of sets of \mathcal{L} -formulae, we denote: $\mathcal{F}_{|\text{AT}} = \{\mathcal{S}_{|\text{AT}} \mid \mathcal{S} \in \mathcal{F}\}$.
- According to [14], a logic $\mathbf{L} = \langle \mathcal{L}, \vdash \rangle$ is called *non-trivial*, if for every non-empty set $\text{AT} \subseteq \text{Atoms}(\mathcal{L})$ there are sets $\mathcal{S}_1, \mathcal{S}_2$ of \mathcal{L} -formulae such that $\text{Atoms}(\mathcal{S}_1) = \text{Atoms}(\mathcal{S}_2) = \text{AT}$ but $\text{CN}_{\mathbf{L}}(\mathcal{S}_1)_{|\text{AT}} \neq \text{CN}_{\mathbf{L}}(\mathcal{S}_2)_{|\text{AT}}$.

Proof sketch. By Thm. 3, for every $\text{sem} \in \{\text{gr}, \text{cmp}, \text{prf}, \text{stb}\}$ the entailments $\vdash_{H,\text{sem}}^\cap$ and $\vdash_{H,\text{sem}}^\cup$ satisfy non-interference. Thus, since RM is non-trivial, crash-resistance follows from [14, Thm. 1]. \square \square

Note 3. The basic relevance criterion [3] is a primary property of RM, used in the proof of Thm. 3 for showing non-interference (and so also for obtaining crash resistance in the proof of Thm. 4). We note that, although classical logic does not satisfy the basic relevance criterion, it is a uniform logic (i.e., for every two sets of formulae $\mathcal{S}, \mathcal{S}'$ and a formula ϕ , if $\mathcal{S}, \mathcal{S}' \vdash \phi$ and \mathcal{S}' is a \vdash -consistent theory that is syntactically disjoint from $\mathcal{S} \cup \{\phi\}$, then $\mathcal{S} \vdash \phi$). By assuming that ConUcut_H is part of the attack rules, Items 1 and 2 in the proof of Thm. 3 still hold. In the \Leftarrow direction of the proof the use of the basic relevance criterion can be replaced by the uniformity of the core logic and the fact that no arguments with inconsistent support set will be part of any extension. Hence, the proofs of Thms. 3 and 4 can be adjusted also for the case that, e.g., classical logic is the core logic.

6 Conclusion

Hypersequent-based argumentation, like sequent-based argumentation, avoids some limitations of other approaches to logic-based argumentation (e.g., [12]), where the support set of an argument has to be consistent and minimal. Furthermore, it incorporates any logic with a corresponding sound and complete (hyper)sequent calculus, and allows a great flexibility in the specification of the attack rules.

In this paper we have examined hypersequent frameworks that are based on the logic RM and with defeat and/or undercut as the attack rule. It was shown that such frameworks satisfy the logic-based rationality postulates from [1, 13] and non-interference and crash-resistance from [14]. Moreover, a problem raised in [15] (and further discussed in [2]), in which complete extensions may not be consistent, is avoided.

A comparison to related literature has to be postponed. However, it is worth noting that our non-interference result is more general than the one in [30], where this is only proven for frameworks under complete semantics.

Future research directions include the extension of dynamic proof theory [6] from sequent-based frameworks to hypersequent-based ones. Moreover, we plan to investigate the integration of priorities among arguments and the use of assumptions, such as default assumptions [20] and assumptions taken in adaptive logics [10, 28], for further extending the expressive power of hypersequent-based argumentation.

References

- [1] Leila Amgoud. Postulates for logic-based argumentation systems. *International Journal of Approximate Reasoning*, 55(9):2028–2048, 2014.
- [2] Leila Amgoud and Philippe Besnard. Logical limits of abstract argumentation frameworks. *Journal of Applied Non-Classical Logics*, 23(3):229–267, 2013.
- [3] Alan Anderson and Nuel Belnap. *Entailment: The Logic of Relevance and Necessity*, volume 1. Princeton University Press, 1975.
- [4] Ofer Arieli and Christian Straßer. Sequent-based logical argumentation. *Argument & Computation*, 6(1):73–99, 2015.
- [5] Ofer Arieli and Christian Straßer. Argumentative approaches to reasoning with maximal consistency. In *Proc. KR’16*, pages 509–512. AAAI Press, 2016.
- [6] Ofer Arieli and Christian Straßer. Deductive argumentation by enhanced sequent calculi and dynamic derivations. *Electronic Notes in Theoretical Computer Science*, 323:21–37, 2016.
- [7] Arnon Avron. A constructive analysis of RM. *Journal of Symbolic Logic*, 52(4):939–951, 1987.
- [8] Arnon Avron. The method of hypersequents in the proof theory of propositional non-classical logics. In *Logic: Foundations to Applications*, pages 1–32. Oxford Science Publications, 1996.
- [9] Arnon Avron. *RM and its nice properties*, volume 8 of *Outstanding Contributions to Logic*, pages 15–43. Springer, 2016.
- [10] Diderik Batens. A universal logic approach to adaptive logics. *Logica Universalis*, 1(1):221–242, 2007.
- [11] Trevor Bench-Capon and Paul Dunne. Argumentation in artificial intelligence. *Artificial Intelligence*, 171(10):619–641, 2007.
- [12] Philippe Besnard and Anthony Hunter. A logic-based theory of deductive arguments. *Artificial Intelligence*, 128(1–2):203–235, 2001.
- [13] Martin Caminada and Leila Amgoud. On the evaluation of argumentation formalisms. *Artificial Intelligence*, 171(5):286–310, 2007.
- [14] Martin Caminada, Walter Carnielli, and Paul Dunne. Semi-stable semantics. *Journal of Logic and Computation*, 22(5):1207–1254, 2011.
- [15] Claudette Cayrol. On the relation between argumentation and non-monotonic coherence-based entailment. In *Proceedings of the 14th International Joint Conference on Artificial Intelligence*, pages 1443–1448, 1995.
- [16] Phan Minh Dung. On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n-person games. *Artificial Intelligence*, 77(2):321–357, 1995.

- [17] Michael Dunn and Robert Meyer. Algebraic completeness results for Dummett’s LC and its extensions. *Zeitschrift für mathematische Logik und Grundlagen der Mathematik*, 17:225–230, 1971.
- [18] Michael Dunn and Greg Restall. Relevance logic. In Dov M. Gabbay and F. Guenther, editors, *Handbook of Philosophical Logic*, volume 6, pages 1–136. Kluwer, 2002. Second edition.
- [19] Gerhard Gentzen. Untersuchungen über das logische Schließen I, II. *Mathematische Zeitschrift*, 39:176–210, 405–431, 1934.
- [20] David Makinson. Bridges between classical and nonmonotonic logic. *Logic Journal of the IGPL*, 11(1):69–96, 2003.
- [21] George Metcalfe, Nicola Olivetti, and Dov Gabbay. *Fundamental Logics*, pages 137–175. Springer Netherlands, Dordrecht, 2009.
- [22] Grigori Mints. Lewis’ systems and system T (1965–1973). In *R. Feys “Modal Logic” (Russian Translation)*, pages 422–501. Nauka, 1974.
- [23] John Pollock. How to reason defeasibly. *Artificial Intelligence*, 57(1):1–42, 1992.
- [24] Garrell Pottinger. Uniform, cut-free formulations of T, S4 and S5. *Journal of Symbolic Logic*, 48:900–901, 1983. Abstract.
- [25] Henry Prakken. Two approaches to the formalisation of defeasible deontic reasoning. *Studia Logica*, 57(1):73–90, 1996.
- [26] Henry Prakken. An abstract framework for argumentation with structured arguments. *Argument & Computation*, 1(2):93–124, 2010.
- [27] Guillermo Simari and Ronald Loui. A mathematical treatment of defeasible reasoning and its implementation. *Artificial Intelligence*, 53(2–3):125–157, 1992.
- [28] Christian Straßer. *Adaptive Logics for Defeasible Reasoning. Applications in Argumentation, Normative Reasoning and Default Reasoning*, volume 38 of *Trends in Logic*. Springer, 2014.
- [29] Christian Straßer and Ofer Arieli. Normative reasoning by sequent-based argumentation. *Journal of Logic and Computation*. (Forthcoming, see <https://doi.org/10.1093/logcom/exv050>).
- [30] Yining Wu and Mikołaj Podlaskowski. Implementing crash-resistance and non-interference in logic-based argumentation. *Journal of Logic and Computation*, 25(2):303–333, 2014.